

## 3 変形型基礎ブロック

L × W × H	φ	質量	吊り ボルト	センター	偏芯	再生資源溶融スラグ砂		
						豊田	鳴海	岡崎
200 × 300 ×	100	38	/	受注		受注	受注	受注
		400						
250 × 500 ×	角穴	61	/	受注			標準	
300 × 400 ×	150	74	/	受注		受注	受注	受注
		400						
		500						
300 × 500 ×	150	96	/	受注		受注	受注	受注
		400						
		500						
300 × 500 × 2つ穴(170ピッチ)	150	83	/	受注		受注	受注	受注
		400						
		500						
300 × 600 ×	150	118	/	受注		受注	受注	受注
		400						
		500						
300 × 700 ×	150	140	/	受注		受注	受注	受注
		400						
		500						
300 × 800 ×	150	161	/	受注		受注	受注	受注
		400						
		500						
400 × 500 ×	150	132	M16*40	受注		受注	受注	受注
		400						
		500						
400 × 600 ×	200	101	M16*40	受注		受注	受注	受注
		200						
		300						
		400						
		500						
		600						
700								
800								
400 × 800 ×	150	293	M16*40	受注		受注	受注	受注
		400						
		500						
400 × 900 ×	150	331	M16*40	受注		受注	受注	受注
		400						
		500						
400 × 900 × φ13フック付き	200	318	/	受注		受注	受注	受注
		500						
		398						

L × W × H	φ	質量	吊り ボルト	センター	偏芯	再生資源溶融スラグ砂			
						豊田	鳴海	岡崎	
400 × 1000 ×	200	400	357	M20*40	受注		受注	受注	受注
		500	446						
		600	535						
400 × 1000 × φ13フック付き	200	400	357	/	受注		受注	受注	受注
		500	446						
		600	535						
450 × 500 ×	180	500	241	M16*40	受注		受注	受注	受注
		600	290						
		700	338						
450 × 600 ×	180	400	237	M16*40	受注		受注	受注	受注
		500	296						
		600	355						
500 × 600 ×	180	400	266	M16*40	受注		受注	受注	受注
		500	332						
		600	399						
500 × 800 ×	180	400	363	M16*40	受注		受注	受注	受注
		500	484						
		600	544						
500 × 900 ×	180	400	411	M20*40	受注		受注	受注	受注
		500	545						
		600	616						
500 × 1000 ×	200	400	454	M20*40	受注		受注	受注	受注
		500	567						
		600	680						
600 × 700 ×	300	400	338	M20*40	受注		受注	受注	受注
		500	423						
		600	507						
600 × 800 ×	300	400	396	M20*40	受注		受注	受注	受注
		500	495						
		600	594						
600 × 900 ×	300	400	454	M20*40	受注		受注	受注	受注
		500	568						
		600	681						
600 × 1000 ×	300	400	512	M20*40	受注		受注	受注	受注
		500	640						
		600	769						
700 × 800 ×	300	400	474	M20*70	受注		受注	受注	受注
		500	592						
		600	710						

L × W × H	φ	質量	吊り ボルト	センター	偏芯	再生資源溶融スラグ砂		
						豊田	鳴海	岡崎
700 × 900 ×	300	400	M20*70	受注		受注	受注	受注
		500						
		600						
700 × 1000 ×	300	400	M20*70	受注		受注	受注	受注
		500						
		600						
800 × 900 ×	250	400	M20*70	受注		受注	受注	受注
		500						
		600						
800 × 1000 ×	300	400	M20*70	受注		受注	受注	受注
		500						
		600						
800 × 1200 ×	0	400	M30*70	受注	受注	受注	受注	
		500						
		600						
800 × 1200 ×	300	400	M30*70	受注	受注	受注	受注	
		500						
		600						