

## 標準型基礎ブロック

W	×	L	×	H	φ	質量	製造形態		備考
							センター	偏芯及びびかぶり	
150	×	150	×	350	90	14	標準		
				600		23	受注		
				700		27			
180	×	180	×	300	100	18	受注		
				400		24	標準		
				450		27			
				600		36			
				700		42	受注		
200	×	200	×	200	120	14	標準		
				300		21			
				400		28			
				450		31	受注		
				500		35			
				600		42			
				700		49			
250	×	250	×	200	150	22	受注		
				250		27	標準		
				300		33			
				450		49			
				500		54	受注		
				550		60			
				600		65			
				700		76			
				800		87			
				900		98			
				1000		109			
300	×	300	×	230	100	46	標準	受注	100
				250		50	受注		
				300		60	標準		
				350		70	受注		
				400		80			
				450		89			
				500		99			
300	×	300	×	250	150	44	標準	受注	50
				300		54		標準	
				350		61	受注	受注	
				400		70	標準	標準	
				450		79			
				500		88			
				600		105			
				700		123			

W	×	L	×	H	φ	質量	製造形態		備考
							センター	偏芯及びかぶり	
300	×	300	×	800	150	140	受注	受注	50
				900		158			
				1000		175			
300	×	300	×	250	200	35	標準	/	
				300		43			
				350		50			
				400		57	標準		
				450		64			
				500		88			
				600		85	受注		
				700		99			
				800		113			
				900		128			
				1000		142			
350	×	350	×	400	150	101	標準	/	
				500		127			
				600		152			
				700		178	受注		
				800		203			
				900		228			
				1000		254			
400	×	400	×	300	150	103	標準	受注	50
				400		138			
				450		155			
				500		172			
				600		207			
				700		241			
				800		276	受注		
				900		310			
				1000		344			
				1100		379			
				1200		413			
400	×	400	×	300	200	93	標準	受注	50
				400		124			
				450		140	標準		
				500		156			
				600		187	受注		
				700		218			
				800		249			
				900		280			
				1000		311			
				1100		342			
				1200		373			

W	×	L	×	H	φ	質量	製造形態		備考	
							センター	偏心及びかぶり		
400	×	400	×	300	250	81	標準	/		
				400		107				
				450		121	受注			
				500		134				
				600		161	標準			
				700		188				
				800		215	受注			
				900		271				
				1000		268				
				1100		295				
				1200		322				
450	×	450	×	300	180	129	受注	/		
				400		171				
				500		214	標準			
				600		257				
				700		300	受注			
				800		343				
				900		386				
				1000		428				
				1100		471				
				1200		514				
				450		×	450			×
400	149									
500	186									
600	223									
700	260									
800	297									
900	334									
1000	371									
1100	408									
1200	446									
500	×	500	×		300			180	163	
				400	217	受注				
				500	272	標準				
				600	182	受注				
				700	380	標準				
				800	435					
				900	489	標準				
				1000	424	受注				
				1100	598		受注			
				1200	652		標準			
				1300	706	受注	受注			

W	×	L	×	H	φ	質量	製造形態		備考	
							センター	偏芯及びかぶり		
500	×	500	×	1400	180	761	受注	受注	50	
				1500		815				
500	×	500	×	300	250	146	標準	受注	50	
				400		146				
				500		243				
				600		292				
				700		363	受注			
				800		389				
				900		438				
				1000		486				
				1100		535	標準	標準		
				1200		584	受注	受注		
				1300		632	標準	標準		
				1400		681	受注	受注		
				1500		729				
				1600		778				
				1700		827				
				1800		875				
				1900		924				
				2000		973				
				2100		1021				
				2400		1167				
500	×	500	×	300	300	130			受注	
				400		174				
				500		217				
				600		260				
				700		304				
				800		347				
				900		391				
				1000		434				
				1100		477				
				1200		521				
				1300		564				
				1400		608				
				1500		651				
				1600		694				
				1700		738				
				1800		781				
				1900		825				
				2000		868				
				2100		911				
				2400		1042				

W	×	L	×	H	φ	質量	製造形態		備考
							センター	偏芯及びかぶり	
500	×	500	×	300	350	112	受注	/	
				400		149			
				500		186			
				600		223			
				700		261			
				800		298			
				900		335			
				1000		372			
				1200		447			
550	×	550	×	400	180	268	受注	/	
				500		335			
				600		402			
				700		469			
				800		536			
				900		603			
				1000		670			
				1100		738			
				1200		805			
				1300		872			
				1400		939			
				1500		1006			
				550		×			
500	307								
600	368								
700	429								
800	491								
900	552								
1000	613								
1100	675								
1200	736								
1300	797								
1400	859								
1500	920								
600	×	600	×		400		250	301	標準
				500	376				
				600	451				
				700	527				
				800	602				
				900	677				
				1000	752				
				1100	828				
				1200	903				
								標準	
								受注	
								標準	

W	×	L	×	H	φ	質量	製造形態			備考
							センター	偏芯及び	びかぶり	
600	×	600	×	1300	250	978	受注	受注	100	
				1400		1053				
				1500		1129				
				1600		1204				
				1700		1279				
				1800		1354				
				1900		1430				
				2000		1505				
				2100		1580				
				2400		1806				
600	×	600	×	400	300	280	受注	受注	100	
				500		350				
				600		420				
				700		523				
				800		523				
				900		677				
				1000		784				
				1100		784				
				1200		903				
				1300		1045				
				1400		1053				
				1500		1220				
				1600		1204				
				1700		1279				
				1800		1481				
600	×	600	×	400	400	227	受注	/		
				500		284				
				600		340				
				700		397				
				800		454				
				900		511				
				1000		567				
				1100		624				
1200	681									
650	×	650	×	500	250	452	受注	/		
				600		542				
				700		633				
				800		723				

W	×	L	×	H	φ	質量	製造形態		備考
							センター	偏芯及びかぶり	
650	×	650	×	900	250	813	受注		
				1000		904			
				1100		994			
				1200		1084			
700	×	700	×	400	200	444	受注		
				500		555			
				600		666			
				700		777			
				800		888			
				900		999			
				1000		1110			
				1200		1332			
700	×	700	×	400	300	406	標準	受注	100
				500		507			
				600		609			
				700		710			
				800		812			
				900		913			
				1000		1015			
				1100		1116			
				1200		1218	受注標準		
				1300		1319	受注		
				1400		1421			
				1500		1522			
				1600		1624			
				1700		1725			
				1800		1827			
				1900		1928			
2000	2030								
750	×	750	×	500	300	595	受注		
				600		714			
				700		833			
				800		952			
				900		1071			
				1000		1190			
				1100		1309			
				1200		1428			
				1300		1547			
				1400		1666			
				1500		1785			
				1600		1904			

W	×	L	×	H	φ	質量	製造形態		備考						
							センター	偏芯及びかぶり							
800	×	800	×	400	250	572	標準	受注	100						
				500		715									
				600		858									
				700		1001									
				800		1144									
				900		1287									
				1000		1430									
				1100		1573									
														受注	
														標準	
														受注	
800	×	800	×	400	300	551	受注	受注	100						
				500		689									
				600		827									
				700		964									
				800		1102									
				900		1240									
				1000		1378									
				1100		1516									
				1200		1653									
				1300		1791									
				1400		1929									
				1500		2067									
				1600		2205									
				1800		2480									
				1900		2618									
				2000		2756									
2100	2893														
2200	3031														
2300	3169														
2400	3307														
800	×	800	×	400	400	498	受注								
				500		622									
				600		747									
				700		929									



W	×	L	×	H	φ	質量	製造形態		備考
							センター	偏芯及びかぶり	
800	×	800	×	800	400	996	受注	/	
				900		1120			
				1000		1245			
				1200		1494			
				1300		1618			
				1400		1743			
				1500		1867			
850	×	850	×	500	300	789	受注	/	
				600		946			
				700		1104			
				800		1262			
				900		1420			
				1000		1577			
				1100		1735			
				1200		1893			
900	×	900	×	500	250	921	受注	受注	100
				600		1105			
				700		1289			
				800		1473			
				900		1657			
				1000		1841			
				1100		2026			
				1200		2210			
				1300		2394			
				1400		2578			
				1500		2762			
				1600		2946			
900	×	900	×	500	350	864	受注	/	
				600		1036			
				700		1209			
				800		1382			
				900		1555			
				1000		1727			
				1100		1900			
				1200		2073			
				1300		2246			
				1400		2418			
				1500		2591			
				1600		2764			
1000	×	1000	×	500	250	1151	受注	受注	100
				600		1381			
				700		1611			

W	×	L	×	H	φ	質量	製造形態		備考
							センター	偏芯及びかぶり	
1000	×	1000	×	800	250	1841	受注	受注	100
				900		2071			
				1000		2301			
				1100		2531			
				1200		2762			
				1300		2992			
				1400		3222			
				1500		3452			
				1600		3682			
				1700		3912			
				1800		4142			
				1900		4372			
				2000		4603			
				2100		4833			
1000	×	1000	×	500	300	1125	受注	受注	100
				600		1349			
				700		1574			
				800		1799			
				900		2024			
				1000		2249			
				1100		2474			
				1200		2699			
				1300		3146			
				1400		3149			
				1500		3374			
				1600		3598			
				1700		3823			
				1800		4048			
1900	4273								
2000	4498								
21000	47230								
1200	×	1200	×	600	300	1988	受注	受注	100
				700		2320			
				800		2651			
				900		2982			
				1000		3314			
				1100		3645			
				1200		3977			
				1300		4308			
				1400		4639			
				1500		4971			